Dart Hawkesbury 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada Tel (613) 632-5200



## **Purchasing Receipts**

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Equipment ID	Order Qty		Received Quantity	Accounting Job No	Serial No	Status	Receive Date	Price/Unit	Aging Days	Past Due	Total
PO038862	ACI001-VC	4	1	410335999	H1 000	AISI 1144 Stressproof Steel Hex Bar 1.000""			12	2/2/2018	12		S038974	Stock	2/5/2018	\$ 25.42 / ft	0		\$305.00
								Total:	12		12								\$245.31

Plex 2/5/2018 11:12 AM Dart Dubois Pascal



Billed to

DART AEROSPACE LTD

HAWKESBURY, Ontario, K6A 1K7

1270, ABERDEEN ST.

Instruction

# ACIER OUELLETTE INC.

DELIVERY - CLIENT

935, Boul. du Hâvre Salaberry de Valleyfield (Québec) J6S 5L1 Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248

Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

Shipped to

, Ontario,

Date Customer N° 2018/01/26 CLI0001056

Your order N° 038862 2018/02/08/05

Delivery date

Processed by Josianne Bourdon

Salesman

Carrier

OUELLETTE VALLEYFIELD

**Credit Terme** 

Att : CHANTAL LAVOIE Tél.: 613-632-5200

Net 30 Days

Conditions:	1 x 12' R/L AC13069-CA-07/02 HEVR HORE &	N 1144 CF 1 NS		Product Description	
Total Waight (I ha) . DE DO		35.28		Weight	<b>Delivery Route</b>
2F 70		12.00	1.0	otv	5
,		PI_\$CLB	77:	U/M	
7			CMD		Page
	0		EXP	PCS NB	Ф
			B/0	В	
			IN		ш
		+	4	Internal Use Only	
		-	0	al Use	
		001	- 1	Only	

iotal Weight (Lbs): 35.28

NIR: R-109516-6

All sold and delivered materials remain the property of "Acier Quellette Inc." until payment is made in full, complete and cashed. All lost materials are at the buyer's expense. The warranty offered by "Acier Quellette Inc." is the same as offered and honored by the manufacturer and his warranty is transferred by "Acier Quellette Inc." to the client. The buyer hereby accepts to respect the following conditions: Net 30 days from billing date and the buyer accepts to pay administration charges of 2% per month (24% per annum) on all past due amounts over 30 days. Any default in respect with this contract will lead to payment by acceleration and permits to the seller, at his choice to claim for the balance due or the repossession of the goods sold. All claims must be made within five (5) days with this document enclosed. Any merchandise that has been damaged, cut or modified cannot be returned. All goods returned must be with our authorization and are subject to

Prepared By





4	
Time	
- 1	

Customer's Signature

Total (\$CAD)



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

**PURCHASE ORDER** PO038862

Tel (613) 632-5200

Supplier:

ACI001-VC

Acier Ouellette Inc.

935 Boul. Du Havre Valleyfield

QC

J6S 5L1 Canada Phone: 800 667 4248

Fax: 450 377 5696

PO No:

PO038862

PO Date:

1/25/18

**Due Date:** 

2/2/18

**Purchase Order** Revision:

**Revision Date:** 

**Ship-To Contact:** 

Lavoie, ChantalPhone:

clavoie@dartaero.com

JAN 2 6 2018

Ship To:

1270 Aberdeen Street

Hawkesbury

ON

K6A 1K7 Canada Phone: 613-632-5200 Via:

Ground

**Pymt Terms:** 

Net 30

Freight Terms:

Special Comments: QUOTATION # SOU0079984,

SOU0080619,SOU0080267

#### Items

Line Item	1	Supplier Part No	Description	Status	Due Date		Received Quantity		Unit Price (CAD)	Extended Price
1	MT-4140-B- 0.500x3.000		4140 Steel Bar 0.500 X 3.000 : AISI 4140 STEEL BAR PER ASTM A29, AMS 6349, AMS 6382, AMS 6529, MIL-S-5626 MINIMUM ROCKWELL C = 28 RC MAXIMUM ROCKWELL C = 32 RC receive ft	Firmed	2/2/18	6 ft	O ft	6 ft	\$23.50/ft	\$141.00
2	MT-4140-B- 0.500X4.000		4140 Steel Bar 0.500 X 4.000 : AISI 4140 STEEL BAR PER ASTM A29, AMS 6349, AMS 6382, AMS 6529, MIL-S-5626 MINIMUM ROCKWELL C = 28 RC MAXIMUM ROCKWELL C = 32 RC receive ft	Firmed	2/2/18	6 ft	0 ft	6 ft	\$27.00/ft	\$162.00
	MT-4140-B- 0.750X1.750		4140 Steel Bar 0.750 X 1.750 : AISI 4140 STEEL BAR PER ASTM A29, AMS 6349, AMS 6382, AMS 6529, MIL-S-5626 MINIMUM ROCKWELL C = 28 RC MAXIMUM ROCKWELL C = 32 RC receive ft	Firmed	2/2/18	8 ft	O ft	8 ft	\$23.50/ft	\$188.00
	MT-1144- H1.000		AISI 1144 Stressproof Steel Hex Bar 1.000"	Firmed	2/2/18	12 ft	12 0#	DA12 ft 9-89	\$25.416666/ft FEB 0 5	\$305.00 <b>2018</b>
	MT-A513-T- 0.750W0.058		A513 Seamless Alloy Steel Round Tubing 0.75"dia. x 0.058" Wall	Firmed	2/2/18	20 ft	0 ft	20 ft	\$9.75/ft	\$195.00
					,	I			Grand Total:	\$991.00

**Order Notes** 

Plex 1/25/18 12:31 PM dart.lavoie.chanta

#### **Order Notes**

**Procurement Quality Clauses** 

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 1/25/18 12:31 PM dart.lavoie.chantal



#### **ACIER OUELLETTE INC.**

935, Boul. du Hâvre

Salaberry de Valleyfield (Québec) J6S 5L1

Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248 Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

# Quotation

SOU0080267

Billed to

DART AEROSPACE LTD

1270 , ABERDEEN ST. HAWKESBURY, Ontario, K6A 1K7

Shipped to

, Ontario,

Att: CHANTAL LAVOIE Tél.: 613-632-5200

Customer N°

CLI0001056

Date

2018/01/15

**Revision Nº** 

0

**Prices valid until** 

2018/01/22

Your Order No

Processed by

Josianne Bourdon

Salesman

**JOSIANNE** 

Carrier

**OUELLE SDV** 

Credit Terms

Net 30 Days

Page

Product N° and description	Weight	Qty	U/M	Qty	U/M	Price	Pcs Nb	Price	Amount
PIPE 3/4 SH. 80 A106 SEAMLESS  N 1 X 21' 4-5 DAYS	0.00	1.00	UN	1.00			1.00	62.000	62.00
PIPE 1" SH.40 A106 SEAMLESS  N 1 X 21' ** NOT AVAILABLE IN SH.10 DELIVERY 2-3-DAYS	0.00	1.00	UN	1.00	UN		1.00	65.000	65.00
TUBE MECH. A-513 3/4 OD X .058  N  1 X 20' R/L 2 WEEKS	0.00	20.00	UN	20.00	UN		1.00	195.000	195.00
SURCHARGE ENERGETIQUE  FRAIS_ENERGETIQUE			\$						3.95

Total Weight (Lbs)

0.00

**Important** 

This offer is based on availability and current pricing conditions that may be revised upon reception of the order.

TVH-13 · · 42.37

Sub-total

This offer is subject and conditional to credit approval.

Approuved and Accepted by :

Date :\_\_\_\_\_ Total (\$CAD)

368.32

325.95



## **ACIER OUELLETTE INC.**

935, Boul. du Hâvre

Salaberry de Valleyfield (Québec) J6S 5L1

Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248 Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

## Quotation

SOU0080619

Billed to

DART AEROSPACE LTD

1270 , ABERDEEN ST. HAWKESBURY, Ontario, K6A 1K7

Shipped to

, Ontario,

Att : CHANTAL LAVOIE Tél.: 613-632-5200

**Customer N°** 

CLI0001056

Date

2018/01/16

**Revision Nº** 

0

**Prices valid until** 

2018/01/23

Your Order No

Processed by

Josianne Bourdon

Salesman

**JOSIANNE** 

Carrier

**OUELLE SDV** 

**Credit Terms** 

Net 30 Days

**Page** 

1

Weight	Qty	U/M	Qty	U/M	Price	Pcs Nb	Price	Amoun
0.00	1.00	UN				1.00	305.000	305.00
		\$						3.95
							,	
			0.00 1.00 UN	0.00 1.00 UN 1.00	0.00 1.00 UN 1.00 UN	0.00 1.00 UN 1.00 UN	0.00 1.00 UN 1.00 UN 1.00	0.00 1.00 UN 1.00 UN 1.00 305.000

Total	Weight	(Lhs)
1 Octai	vvcignt	(rns)

0.00

**Important** 

This offer is based on availability and current pricing conditions that may be revised upon reception of the order.

This offer is subject and conditional to credit approval.

Approuved and Accepted by :

\_ Date :\_

Sub-total

308.95

TVH-13 · · 40.16

Total (\$CAD)

349.11



## ACIER OUELLETTE INC.

935, Boul. du Hâvre

Salaberry de Valleyfield (Québec) J6S 5L1

Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248 Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

CLI0001056

# Quotation

SOU0079984

Billed to Customer N°

DART AEROSPACE LTD

1270 , ABERDEEN ST.

HAWKESRIRY Optatio K64 1K7

Revision N°

0

HAWKESBURY, Ontario, K6A 1K7

Prices valid until

2018/01/18

Shipped to Your Order No

pped to Your Order No

Processed by

, Ontario,

Processed by

Josianne Bourdon

Salesman

JOSIANNE

Carrier OUELLE SDV

Att : CHANTAL LAVOIE Tél.: 613-632-5200 Credit Terms Net 30 Days

Page

Product N° and description	Weight	Qty (	U/M	Qty	U/M	Price	Pcs Nb	Price	Amount
TUBE MEC 1.000 OD X .120 RANDOM TME-1000120-V 6505 5 X 20' R/L STOCK	112.80		I_\$CPI	100.00			5.00	44.190	220.95
TUBE MEC 0.875 OD X .120 RANDOM TME-0875120-V 6787 3 X 20' R/L STOCK	58.08	60.00 P	[_\$CPI	60.00	PI		3.00	41.190	123.57
ROUND CR 1 1/4 1018 RANDOM RCR-114-V <b>5260</b> 1 X 20' R/L STOCK	83.40	20.00 PI	_\$CLB	20.00	PI		1.00	83.360	83.36
ROUND SS 1 303 RANDOM RSS-1303-V <b>8519</b> 4 X 12' R/L 2-3 DAYS	128.16	48.00 PI	_\$CLB	48.00	N_\$UN		4.00	96.745	386.98
ROUND SS 3/4 304 RANDOM RSS-34-V <b>5762</b> 8 X 12' R/L STOCK	144.19	96.00 PI_	\$CLB	96.00	PI		4.00	103.080	412.32
ROUND 4140 HEAT TREAT 3/4 RANDOM R4140-34H-V <b>4949</b> 1 X 20' R/L STOCK	30.04	20.00 PI_	\$CLB	20.00	PI		1.00	49.850	49.85
FLAT 4140 HT 1/2 X 3 N 1 X 6' 4-5 DAYS	0.00	1.00	UN	1.00	UN		1.00	141.000	141.00
FLAT 4140 HT 1/2 X 4 N 1 X 6' 4-5 DAYS	0.00	1.00	UN	1.00	UN		1.00	162.000	162.00
FLAT 4140 HT 3/4 X 1 3/4 N 1 X 8' 4-5 DAYS	0.00	1.00	UN	1.00 (	JN		1.00	188.000	188.00
FLAT ALU 1/4 X 1 6061-T6 RANDOM FAL-141-V 2512 1 X 20' STOCK	6.20	20.00 PI_\$	CLB	20.00	PI		1.00	15.870	15.87

Date :

MT-4140-B-0.500 x 3.000

Next Page...

#### **Chantal Lavoie**

From:

Chantal Lavoie

Sent:

Thursday, January 11, 2018 3:26 PM

To:

'Josianne Bourdon'

Cc:

Diane Baker

Subject:

quote

Good afternoon Josianne,

Please advise price an delivery on mat'l.

A513- ROUND TUBING 1" X 0.120" WALL X 100 FT A513 ROUND TUBING 0.875" X 0.120" X 60 FT

1018 ROUND BAR 1.250" X 12 FT

303 ROUND BAR 1" X 48 ET

304 ROUND BAR 0.750" X 96 FT

4140 QT ROUND BAR 0.750 X 12 FT

4140 HT BAR 0.500" X 3" X 6 FT

4140 HT BAR 0.500" X 4" X 6 FT

4140 HT BAR 0.750" X 1.750" X 8 FT

6061-T6 BAR 0.250" X 1" X 12 FT

6061-T6 BAR 0.250" X 5" X 12 FT

6061-T6 BAR 0.250" X 6.250" X 24 FT

6061-T6 BAR 0.375" X 2" X 24 FT

-6061-T6 BAR 0.500" X 1.250" X 12 FT

6061-T6 BAR 0.500" X 2.5" X 12 FT

6061-T6 BAR 0.500" X 5" X 36 FT

6061-T6 BAR 0.500" X 6" X 24 FT

6061-T6 BAR 0.500" X 1.5" X 12 FT

6061-T6 BAR 0.500" X 12" X 12 FT

6061-T6 BAR 6" X 2" X 6 FT

6061-T6 BAR 1" X 4" X 12 FT

6061-T6 BAR 1" X 12" X 12 FT

6061-T6 BAR 1.250" X 1.250" X 12 FT

6061-T6 BAR 2.5" X 1.5" X 24 FT

6061-T6 BAR 0.375" X 1" X 48 FT

6061-T6 BAR 0.750" X 3" X 12 FT

6061-T6 BAR 0.750" X 0.125" X 20 FT CLOSC 6063+5

6061-T6 BAR 1.5" X 1.5" X 12 FT

6061-T6 BAR 2" X 1.250" X 24 FT

6061-T6 BAR 2" X 2.250" X-12 FT

6061-T6 BAR 2" X 5" X 12 FT

6061-T6 BAR 2" X 8" X 4 FT

6061-T6 BAR 2.75" X 6" X 6 FT. 3/6 only.

606/76B0-375"X06750"X1294

17-4-H900'R.100" X248+



Nelsen Steel Company 9400 W. Belmont Ave. Franklin Park, IL 60131-2898 Tel: (847) 671-9700 Fax: (8

Fax: (847) 671-6833

PRODUCT CERTIFICATION

HEAT LOT NUMBER

WORK ORDER

499872

731318

SUPPLIER

SALES ORDER / RLS

Mittal Indiana Bar Product

119062 / 008

CERT ID / REV 00118878 / 01

SOLD TO

A.M. Castle Co. 1420 Kensington Road Suite 220 Oak Brook, IL 60523 USA MELT SOURCE/NAFTA
Mittal Indiana/Yes
COUNTRY OF ORIGIN

U.S.A.

CASTMETHOD

Strand (Billet)

SHIPMENT DATE CUSTOMER P.O. CUSTOMER PART QUANTITY Burdle LADING NO 318043 69616 4,900 LBS 00059941 02/23/2015 C10000H114437 1.0000, Shape ≥ Cold Drawn Hexagon, Grade = 1144, Length = 12'00", Tolerance =-0"/+2", Grain Prac = Coarse Grain Practice, Silicon = .35max, Quality Level = STD, Bundle max = 5000 lbs. Min. Red. Ratio 50: 1 CERTIFICATION REQUIREMENTS SPEC: G11440-01 R16 Chemical 0 45 1.51 0 016 0.28 0 192 0.23 0.08 0.023 0.13 0.001 Cb Ti 0.001 0.004 0.007 0.001 We certify that the above material during its processing or while in our possession was not exposed to mercury or zary other metal alloy that is liquid at

We certify that the above material during its processing or while in our possession was not exposed to mercury or any other metal alloy that is liquid at ambient temperature, that no welding or weld repair was performed on said material, that no Class 1 or Class 11 ozone depleting chemicals (ODC's) were used in the manufacture of said material or in any of its components or packaging, and that the finished product described herein was manufactured by Nelsen Steel and Wire L.P. and/or its agents in the United States of America. We further certify that all material cold trawn by Nelsen Steel and Wire L.P. meets or exceeds the requirements of ASTM A 108-13. (Level 1) and/or SAE J403 for carbon steels and/or SAE J404 for alloy steels and their referenced documents (including ASTM A29-12 and ASTM A576-07 (2012) as a minimum. All product sold by Nelsen Steel and Wire L.P. complies with the Oodd Frank Act section 1502 regarding "Conflict Minerals". Also, all chemical and machanical testing is performed by laboratories that have received or have applied for certification to ISO/IEC 17025-1999. Nelsen Steel's Quality Management System's registered to ISO 9001: 2008 via third party assessment. Manufactured in the United States of America.

End of Certification

We cartify that the above metallurgical report of chemical analysis and for mechanical properties is a true and correct statement of the information relating to the product(s) listed above and conforms to the applicable specifications as indicated on your order. WE FURTHER CERTIFY that the material described herein was monitored and controlled during manufacture in accordance with the "Nelsen Steel Company Quality Assurance Manual" in its most recent revision prior to our issuing date shown

Certification given and subscribed

Kenneth A. Koeppl, Quality Manager

## MATERIAL RECEIPT INSPECTION FORM

MATERIAL: MT-1/ DATE: FEB		<i>"</i>	POSBATCH	NO.: 038	862/50389
MATERIAL CERT REC'D: Yanguantity received: 12 QUANTITY INSPECTED: 13 QUANTITY REJECTED: 0	es .T	THIC	OKNESS ORDE DKNESS RECE ET SIZE ORDE ET SIZE RECE	RED: 1.0	100 14 14
	NCR Check Y/N)		COMMEN	ĪS	
SURFACE DAMAGE	Y M				
CORRECT FINISH (	Y) N				
CORROSION	YN				The state of the s
CORRECT GRAIN DIRECTION	Y) N				77840 4 11 11 11 11 11
CORRECT MATERIAL PER M-DRAWING	Y) N /-1/4	tele)			
CORRECT THICKNESS (	Y) N				
PHOTO REQUIRED	YN	- (1886) *C		The second secon	The second second
CORRECT REF # TO LINK CERT	Q N Hart	#4998	72		
CORRECT MATERIAL IDENTFICATION	YN	17/1/0			Militario de la colonia reserva e e escribir como que e escribir como en e
CORRECT M# ON THE MATERIAL	Y) N				The second secon
DOES THIS MATERIAL REQUIRE					The second secon
ENGINEERING SIGN OFF	Y				
DOES THIS REQUIRE AN					
EXTRUSION REPORT '	Y (N)				
CUT SAMPLE PIECE (	OF MATERIAL A			SS CHECK.	
	HRC	HRB	DURA	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING	3				
	testers located in	the Quality Offi	ce		mangles and a second second second second second
					3 !
QC 18 INSPECTION			ENGINEER	KING SIGNO	FF (if required
DAS		2:2	VIED 0== 51/		
INSPECTED BY:		SIG	NED OFF BY:		-
DATE: 9-89 FEB 0	5 2010		DATE:		
CALL FER II	1 /1110		2/3/2.		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

BY APPROVED AISI 1144 STRESSPROOF STEEL HEX BAR W> MT-1144-H DATE ECN# DESCRIPTION NEW ISSUE က PURCHASE MATERIAL: AISI 1144 STRESSPROOF STEEL HEX BAR MT-1144-H (D.DDD)
WHERE "D.DDD" = DIAMETER IN INCHES SPECIFICATION CONTROL DRAWING EG. 5/8" HEX BAR = MT-1144-Hq.625 REV. ASTM A311 or UNS G11440 SPECIFICATION: PART NUMBER: ۵ O B ×

۵